AVON MAITLAND DISTRICT SCHOOL BOARD

Create Positive, Inclusive Learning Environments, and Maximize Outcomes for Students

DIRECTOR'S INFORMATION REPORT

TO: Regular Board Meeting – Tuesday, June 27, 2017

AGENDA ITEM: 5.3 a)

SUBJECT: Green Energy Act Reporting

1.0 Background

- 1.1 Under the *Green Energy Act*, Ontario Regulation 397/11, Energy Conservation and Demand Management Plans, defines the requirements for all Broader Public Sector (BPS) organizations, including hospitals, municipalities, universities, colleges, school boards and municipal service boards (for water and sewage treatment and pumping operations), to:
 - 1.1.1 Report on annual energy use and greenhouse gas (GHG) emissions in designated facilities by July 1st each year starting in 2013.
 - 1.1.2 Develop and implement 5-year Energy Conservation and Demand Management Plan (CDM) by July 1, 2014. (Completed and reported to the board June 24, 2014.)
 - 1.1.3 Broader Public Sector organizations are required to renew their Energy Conservation and Demand Management in 2019.
 - 1.1.4 Starting last year, the Ministry of Energy made public those Broader Public Sector organizations that did not report as per the regulations.
- 1.2 The regulation also requires that the content of the submission, uploaded to the Ministry of Energy, be made public and easily available on the Board web site as well as internally.
- 1.3 The report calculates energy use per square foot and is reported in equivalent kilowatt-hours per square foot (ekWh/ft²) which is a standard measure when comparing total energy intensity of a building including both heating source energy and all electrical consumption. Green House Gas (GHG) emissions are also reported.
- 1.4 The data used to populate this report is dependent on Local Distribution Companies (LDCs) reporting meter data accurately and having all adjustments to 'actual' made within the reporting period. This is not coordinated well at this time and, in some cases, current building data may reflect energy and GHG's slightly lower or higher than actual due to estimated reads. Propane is another heating fuel used at 5 sites. Propane is delivered in bulk and is not metered over a specific billing period in the same fashion as electrical and natural gas utilities. As such, the propane volume used to calculate GHG's and energy intensities is based on bulk deliveries billed in the fiscal period.

2.0 Energy Consumption and Green House Gas (GHG) Emissions Reporting

- 2.1 Appendix A represents the report, organized alphabetically by school, to be uploaded to the Ministry of Energy web site. This appendix includes the consumption by energy source used to calculate GHG emissions and energy intensity based on Ministry of Energy assumptions regarding the ratio of GHG's and ekWh per unit of energy consumed. That is, the Ministry of Energy assumes that each energy type produces a certain amount of GHG's per ekWh consumed.
- 2.2 Appendix B1 through B3 represent the GHG and energy intensity data submitted for the current reporting period as well as the previous four periods. The data in B1 is organized alphabetically by site to facilitate a year over year comparison. Appendix B2 is organized from the lowest to the highest energy intensity by reporting period and Appendix B3 is organized from lowest to highest GHG emissions by reporting period.
- 2.3 Reviewing Appendix B1, every site indicates intensity trending down in 2015/2016 compared to prior year 2014/2015. While building renewal carried out each year may contribute to the energy efficiency of all facilities, weather is the main reason for this downward trend. Heating Degree Days were down 27% in 2015/2016 compared to the prior year 2014/2015. Building renewal work when it adds HVAC systems for occupant comfort can increase energy intensity.
- 2.4 Appendix B2 indicates that Shakespeare, Hamlet, Anne Hathaway, North Woods, and Brookside are the lowest energy intense buildings for 2015-16. As speculated in previous reports, Hamlet, Shakespeare, and Anne Hathaway are multiple story buildings which tend to be more efficient to heat due to the ratio of roof area to floor area. Brookside PS has received a number of significant renewal projects prior to 2015/2016 including roof-top units, Air handlers and school wide lighting upgrades. The 2015/2016 period was the first full year that Brookside had practically 100% LED lighting which will be the most significant contributor to its positive energy intensity result.
- Sites with the highest energy intensity include Listowel DSS, Listowel Eastdale PS, Stephen Central PS, Milverton PS, and Mornington PS. Maitland River ES also has a relatively high energy intensity. LDSS and Maitland River have been among the highest energy intense buildings in previous reports. Both LDSS and Maitland River are part of an Energy Audit Pilot that started this past spring intended to identify key areas where improvements can be made to operations and equipment at these sites. Further energy audits will be scheduled based on energy intensity at other sites following after the pilots are complete.
- 2.6 The energy intensity at Clinton PS and SERC are also quite high. Each of these sites include Childcare programs which operates longer hours with activities that are also more energy intensive.
- 2.7 The data in Appendix A and B is not corrected for heating degree days (HDD) or cooling degree days (CDD). To understand the effect of heating degree days (HDD), it is helpful to look at both total electricity and natural gas consumption during each reporting period, comparing it to the total building floor area and district heating degree days. Table 1 captures this information.

Line	Measure	2011-12 Period	2012-13 Period	2013-14 Period	2014-15 Period	2015-16 Period
Lille	ivieasure	Reported in 2013	Reported in 2014	Reported in 2015	Reported in 2016	Reported in 2017
1	Electricity (kWh)	15,277,577.00	15,910,812.77	14,898,549.68	14,986,999.05	15,114,566.69
2	% Change Electricity	n/a	4.14%	-2.48%	-1.90%	-1.07%
3	Natural Gas (m³)	2,644,377.45	3,090,355.53	3,255,504.02	3,169,324.75	2,585,330.19
4	Natural Gas (ekWh)	26,443,774.45	30,903,555.30	32,555,040.20	31,693,247.45	25,853,301.95
5		10,127.83	9,508.79	8,469.05	8,379.36	8,678.52
6	NG Corrected for HDD	31,821,654.28	29,876,606.39	26,609,764.91	26,327,944.24	27,267,900.21
7	% Change Nat. Gas	n/a	-6.11%	-16.38%	-17.26%	-14.31%
8	Propane (Litres)	260,203.90	296,868.80	342,449.15	325,391.99	274,044.40
9	Propane (ekWh)	1,951,529.25	2,226,516.00	2,568,368.63	2,440,439.94	2,055,333.00
10		747.43	685.08	668.15	645.23	689.94
11	Propane Corrected for HDD	2,348,412.45	2,152,527.16	2,099,327.32	2,027,301.46	2,167,793.32
12	% Change Nat. Gas	n/a	-8.34%	-10.61%	-13.67%	-7.69%
13	Total Floor Area (ft ²)	2,356,010.42	2,360,814.07	2,310,958.90	2,326,304.96	2,347,794.29
14	% Change Floor Area	n/a	0.20%	-1.91%	-1.26%	-0.35%
15	Heating Degree Days	2,611	3,250	3,844	3,782	2,979
16	% Change HDD	n/a	24.47%	47.22%	44.86%	14.09%
17	Ave Energy Intensity (GEA Report)	19.26	21.50	22.46	21.61	18.01
18	% Change in Intensity	n/a	11.63%	16.61%	12.18%	-6.50%
19	Ave Energy Intensity (Corrected)	20.99	20.31	18.87	18.63	18.98
20	% Change in Intensity	n/a	-3.25%	-10.09%	-11.23%	-9.59%

Table 1 - Utility Consumption & HDD

- 2.8 The HDD trends significantly up over the three-year period from 2011 to 2013, then down slightly in 2014 and significantly down in 2015/2016. Gas consumption is directly related to HDD and the consumption trends reflect this in Table 1.
- 2.9 Electricity consumption does not correlate to HDD days as only a portion of its consumption is related to heating with the exception of the two electrically heated schools, North Woods and Central Perth. Electricity consumption for the 2015-16 reporting period trends up only slightly from the prior year.
- 2.10 Lowest energy intensity does not necessarily translate to lowest emissions. As noted in 2.1, the Ministry of Energy assumes that each energy type produces a certain volume of GHG's per ekWh consumed. Generally, electrically heated buildings have lower GHG emissions than Natural Gas heated facilities because electrical power produces the fewest GHG's. This accounts for North Woods and Central Perth being in the lowest 3 GHG emitting sites because they are electrically heated. Shakespeare PS overall has an energy efficient building envelope with small unvented windows, two story configuration, and partially below grade main floor.

3.0 Energy Consumption and Demand Management Plan (CDM)

- 3.1 Board staff participated in a working group through OASBO's Operations Maintenance Construction (OMC) Subcommittee on Energy to develop a template for an Energy and Demand Management Plan to meet the requirements of the Green Energy Act Phase 2 reporting. Avon Maitland's plan was presented to the board in June of 2014.
- 3.2 The plan set out the reduction targets for five years, with 2012/2013 being the base year and Year 1 of the plan being 2013/2014.

- 3.3 The primary focus of the strategies in 2013/2014 related to construction and retrofit activities that had energy related benefits. Avon Maitland set an aggressive target of an 8% reduction in energy intensity based on these activities.
- The result in Table 1 indicates an average corrected energy intensity 18.98 ekWh/ft² (line 19) which is a slight increase from previous years.
- In Table 1, natural gas consumption has been converted to ekWh and corrected for heating degree days (Line 6) based on 16 degC and average HDD days for the area. A similar correction is also performed for propane in line 11. This is a somewhat simplified way of making the correction but is appropriate for the purpose of this comparison. While actual natural gas and propane consumption is down from previous years the corrected values are higher.
- 3.6 The corrected energy intensity value (Line 19) indicates an increase in energy intensity of 1.64%. Energy intensity is affected by activities such as increased community use, added building conditioning, and increased air exchanges.
- 3.7 The reduction target for the last year of the CDM plan is 4%. As in past years, activities including occupant behavior, custodial training, and other construction and retrofit activities will be the focus. Practical energy audits should help focus energy reduction activities where they will have the largest impact.

Janet Baird-Jackson Superintendent of Corporate Services Lisa Walsh Director of Education and Secretary of the Board

Press TAB to move to input areas. P	re Energy Consumption	and Greenhous	e Gas Eı	nissions R	eporting -	for 2014										
Confirm consecutive 12-mth																
period (mth-yr to mth-yr)	Sept/2014 - Aug/2015															
Sector	School Board															
Agency Sub-sector	School Board															
Organization Name	Avon Maitland District School Board	Please fill in the ma	andatory fi	elds indicated	in red, in ad	ldition to subr	nitting data	on your	energy usage	э.						
										Energy	Type and A	Amount Purchased an	d Consumed	in Natural Units	Total (calculate	ed in webform)
								Swimmi	in Number	Electricity	У	Natural G	as	Propane		
					Total Floor		Avg	g Pool							CUC Emissions	Francis Internation
Operation Name	Operation Type	Address	City	Postal Code	Area	Unit	hrs/wk	(Yes/No		Quantity	Unit	Quantity	Unit	Quantity Un	it GHG Emissions	Energy Intensity (ekWh/sqft)
Anne Hathaway Public School	School	77 Bruce St	Stratford	N5A 4A2		Square feet	60	No	0	470,333.26172		20.195.96548		Quality 011	57,254.1107	
Avon PS	School	31 Huntingdon Ave	Stratford	N5A 6N7		Square feet	60	No	0	245,386.66724		28,278.31549			63,413.6853	
Bedford PS	School	59 Bedford Dr	Stratford	N5A 5J7		Square feet	60	No	0	240.051.00000		39,640.11661			84.678.2627	
Bluewater Coast ES	School	85 York Street	Hensall	NOM 1X0		' Square feet	60	No	0	95,268.88062		29,618.99010			59,861.4249	
Brookside PS	School	36937 Belgrave Rd		N0G 2H0		Square feet	60	No	0	99.708.33985				43.658.90000 Litre	71.320.6401	
Central Huron SS & Clinton Admi			Clinton	NOM 1L0		Square feet	80	No	0	949,281.50574		205.630.85542	Cubic Meter	10,000.00000 2	427.262.7137	
Central Perth E S	School	4663 Road 135 (Ello				Square feet	60	No	0	522,803.33234		200,000.000			21,198.6295	
Clinton PS	School	27 Percival St	Clinton	NOM 1L0		Square feet	60	No	0	341,698.56836		53,413.70761	Cubic Meter		114,840.5913	
Downie Central PS	School	4384 Line 20 (Down		N0K 1V0		Square feet	60	No	2	162,318.46997		27,353.16769			58.296.3267	
Elma Township	School	5972 Line 72 (Elma-		N0G 1B0		Square feet	60	No	0	245,306.50092		39.521.2272			84.666.5872	
Exeter PS	School	93 Victoria St	Exeter	N0M 1S1		' Square feet	60	No	0	234,306.07935		41,021.69549	Cubic Meter		87,057.3679	
F E Madill SS & ES	School	231 Madill Drive		N0G 2W0) Square feet	80	No	0	1,042,200.00000		251,126.46247			517,045.5959	
Goderich District CI & Goderich D	Di School	260 South St.	Goderich	N7A 3M5		Square feet	80	No	0	705,116.80000		119,054.60000	Cubic Meter		253,678.9172	4 16.99373
Goderich Public School	School	125 Blake St W	Goderich	N7A 1Z1		Square feet	60	No	0	301,416.76849	kWh	68,275.31090	Cubic Meter		141,304.9933	5 21.08605
Hamlet PS	School	315 West Gore St	Stratford	N5A 7N4		Square feet	60	No	0	137,929.79265	kWh	19,888.61427	Cubic Meter		43,194.7283	
Howick Central S	School	45010 Harriston Rd	(Gorrie	N0G 1X0	32,894.51	Square feet	60	No	0	171,400.76105	kWh			55,622.90000 Litre	92,663.9569	9 17.09892
Hullett Central PS	School	269 King St.	Londesbo	r(N0M 2H0	24,656.88	Square feet	60	No	1	142,459.99866	kWh	33,378.81359	Cubic Meter		68,883.3542	2 20.16486
Huron Centennial S	School	RR 1 39978 Centen	n Brucefield	N0M 1J0	36,886.56	Square feet	60	No	0	217,302.46155	kWh	46,396.37949	Cubic Meter		96,529.4279	8 19.25885
Listowel Central PS - SOLD SEP	T School	305 Binning St	Listowel	N4W 1G4	36,220.56	Square feet	60	No	0	245,711.00040	kWh	37,095.06516	Cubic Meter		80,096.0214	0 17.66812
Listowel DSS	School	155 Maitland Ave S	Listowel	N4W 2M4	157,758.20	Square feet	80	No	3	923,717.85215	kWh	241,134.06852	Cubic Meter		493,349.4920	
Listowel Eastdale PS	School	365 Nichol Ave S	Listowel	N4W 2M3		Square feet	60	No	0	173,433.06982	kWh	37,876.09004	Cubic Meter		78,641.9225	
Little Falls PS	School	25 Lindsay Atkinson	ISt. Marys	N4X 1B6	42,202.06	Square feet	60	No	2	351,530.64990	kWh	43,736.35485	Cubic Meter		96,942.9981	4 19.34387
Maitland River ES	School	250 John St. East	Wingham	N0G 2W0	46,338.63	Square feet	40	No	0	378,360.00000	kWh	59,824.64940	Cubic Meter		128,447.8387	
Milverton PS	School	68 Mill Street E., Bo		N0K 1M0		Square feet	60	No	0	201,091.06812				83,054.00000 Litre	136,138.7257	
Mitchell DHS	School	95 Frances St	Mitchell	N0K 1N0		Square feet	80	No	2	482,394.12036		122,812.73047	Cubic Meter		251,753.1809	
Mornington Central PS	School	7241 Road 131 (Mo		N0K 1R0) Square feet	60	No	2	103,927.09387				50,702.80000 Litre	82,346.2393	
North Easthope PS	School	4672 Road 108 (NE		N5A 6S2		Square feet	60	No	0	170,987.37876				41,005.80000 Litre	70,122.4779	
North Woods ES	School	84295 Ethel Line	Ethel	N0G 1T0		Square feet	60	No	0	308,774.27417					12,520.1792	
Romeo PS	School	49 Rebecca St	Stratford	N5A 3P2		Square feet	60	No	0	163,625.10278		20,788.56011			45,938.0837	
	∕li School	58 Chalk St N	Seaforth	N0K 1W0) Square feet	80	No	0	604,285.41016		85,553.31155			186,251.9655	
SERC Library & Day Care	School	220 Oakdale Ave	Stratford	N5A 1A3		Square feet	80	No	0	230,495.06746		16,929.26322			41,353.0361	
Shakespeare PS	School	35 Mowat St	Stratford	N5A 2B8		Square feet	60	No	0	212,886.23499			Cubic Meter		20,395.8609	
South Huron DHS & DES	School	92 Gidley St E	Exeter	N0M 1S6		Square feet	80	No	0	674,767.18190		172,525.60893			353,542.0341	
South Perth Centennial PS	School	1866 Road 163 (Bla				Square feet	60	No	0	118,173.56152		31,179.90784			63,741.2772	
Sprucedale PS	School	59 Fraser Street		aN0B 2P0		Square feet	60	No	2	106,206.18750		23,671.90710			49,061.1951	
St Marys DC & VI & Elementary	School	338 Elizabeth St. Bo				Square feet	80	No	0	596,679.91243		139,996.25150			288,874.8700	
Stephen Central PS	School	70042 Goshen Line				Square feet	60	No	0	119,039.99918		36,405.62819			73,656.2975	
Stratford Central	School	60 St. Andrew St.	Stratford	N5A 1A3		Square feet	80	No	1	759,386.00000		127,856.73114			272,520.9715	
Stratford Northwestern	School	428 Forman Ave.		N5A 6R7		Square feet	80	No	4	1,101,076.00000		248,266.74851			514,026.2475	
Upper Thames E S	School	165 Frances St. RR		N0K 1N0		Square feet	80	No	2 0	642,637.00378		72,117.28917			162,404.5393	
Wallace PS - SOLD JUL 2016	School	8727 Road 164 (Wa	ai Gowansto	NINUG IYU	∠0,005.60	Square feet	60	No	U	121,093.33337	KVVII	38,543.66524	Cubic Meter		77,781.7866	7 20.40817

Appendix B1 - Alphabetical by Site

	2011-12 Reported	2 Period d in 2013	_	2012-13 Perio eported in 20			013-14 Perioe eported in 201			014-15 Perio eported in 20		2015-16 Period Reported in 2017			
Site	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity Trend from Previous Year	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity Trend from Previous Year	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity Trend from Previous Year	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity Trend from Previous Year	
Anne Hathaway Public School	107,215.37	16.71	117,489.99	17.64	1	90,456.95	15.48		73,868.61	15.25	↓	57,254.11	13.19	↓	
Avon PS	68,787.63	15.90	83,630.52	18.72	1	105,515.74	24.25	1	76,818.94	20.71	↓	63,413.69	17.67	↓	
Bedford PS	70,608.50	14.23	79,067.31	15.58	1	86,120.42	17.65	1	93,241.88	18.18	↑	84,678.26	17.21	↓	
Bluewater Coast ES	62,085.12	16.33	69,238.56	17.96		76,635.06	20.10	↑	70,309.02	19.43	\downarrow	59,861.42	16.97	\downarrow	
Brookside PS	111,628.50	20.55	113,073.26	20.59	1	131,090.98	23.90	↑	116,707.13	22.24	\downarrow	71,320.64	14.35	\downarrow	
Central Huron SS & Clinton Administration	538,787.80	22.06	575,008.05	23.23	1	585,956.97	24.13	<u> </u>	549,778.96	23.94	↓	427,262.71	19.86	\downarrow	
Central Perth E S	46,697.28	15.88	56,824.92	19.72	1	45,581.28	19.99	<u> </u>	23,812.08	19.84	↓	21,198.63	17.43	↓	
Clinton PS	103,013.77	18.30	152,241.97	23.23	1	148,653.21	23.33	<u> </u>	149,113.07	25.31	↑	114,840.59	21.21	↓	
Downie Central PS	76,572.66	23.08	81,336.27	24.70	1	87,737.38	27.31	<u> </u>	69,084.78	23.96	↓	58,296.33	20.19	↓	
Elma Township	73,914.10	13.99	91,794.52	17.16	1	106,589.99	19.81	<u> </u>	100,019.99	20.25	↑	84,666.59	17.81	\downarrow	
Exeter PS	102,852.05	16.96	118,679.77	19.21		118,735.89	19.68	<u> </u>	105,573.20	19.14	↓	87,057.37	16.83	↓	
F E Madill SS & ES	576,030.77	19.44	623,617.80	21.29		661,077.51	22.53	<u> </u>	595,829.21	21.35	↓	517,045.60	19.62	↓	
Goderich District CI & Goderich District CI Elementary	328,708.52	18.49	368,624.59	20.77		382,545.01	22.08	<u> </u>	295,702.28	19.02	↓	253,678.92	16.99	↓	
Goderich Public School	136,786.91	19.59	151,068.16	21.37		177,045.28	25.47	<u> </u>	166,796.36	23.64	↓	141,304.99	21.09	↓	
Hamlet PS	42,395.26	10.04	52,771.90	12.85		58,035.00	13.36	<u> </u>	50,262.40	12.68	\downarrow	43,194.73	11.30	↓	
Howick Central S	110,234.19	18.21	124,196.19	22.11		137,095.85	22.40	<u> </u>	118,808.53	20.84	↓	92,663.96	17.10	↓	
Hullett Central PS	62,310.10	18.18	75,611.18	21.75		86,948.40	24.19	<u> </u>	81,342.07	23.74	↓	68,883.35	20.16	1	
Huron Centennial S	127,734.51	21.96	134,058.40	23.68		123,480.19	21.74	↓	118,262.08	22.32	↑	96,529.43	19.26	↓	
Listowel Central PS - SOLD SEPT 2016	92,447.61	17.69	100,822.32	18.23	1	109,835.69	21.06	<u> </u>	91,070.68	20.38	↓	80,096.02	17.67	1	
Listowel DSS	485,080.40	20.09	700,478.32	28.62	1	637,410.60	27.40	↓	585,468.69	25.76	\downarrow	493,349.49	22.10	↓	
Listowel Eastdale PS	83,851.03	23.36	77,678.34	21.35	. ↓	78,935.25	20.65	<u> </u>	94,109.95	25.94	1	78,641.92	22.53	↓	
Little Falls PS	103,712.64	17.96	117,295.22	19.69	1	146,932.07	24.94		115,388.96	22.49	↓	96,943.00	19.34	↓	
Maitland River ES	n/a	n/a	n/a			145,337.86	22.79		156,151.92	25.13	1	128,447.84	21.89	↓	
Milverton PS	136,762.28	21.99	161,692.08	25.33		157,862.58	25.04		140,682.42	23.44	↓	136,138.73	22.98	↓	
Mitchell DHS	310,781.22	22.21	312,351.25	21.66		295,720.28	21.01		286,371.80	22.53	1	251,753.18	20.25	↓	
Mornington Central PS	51,020.25	20.95	62,876.32	25.32	1	75,630.83	30.41		76,278.26	26.55	↓	82,346.24	27.55	1	
North Easthope PS	78,037.33	19.31	78,486.72	18.67	<u> </u>	88,296.58	23.29	1	81,125.90	22.69	+	70,122.48	19.73	—	
North Woods ES	30,684.97	14.30	39,417.54		1	29,399.07	17.67		13,974.13	15.96	+	12,520.18	14.11	1	
Romeo PS	62,093.76	20.02	67,367.06	21.38	1	65,397.24	21.54		52,763.39	19.26	1	45,938.08	18.55	1	
Seaforth PS & Administration & Maintenance	203,512.35	18.50	240,110.80	21.11	1	239,099.18	21.75		217,220.29	21.57	.	186,251.97	19.78	<u> </u>	
SERC Library & Day Care	62,134.03	23.96	63,309.06	24.08		67,901.22	26.62	<u>_</u>	49,222.80	23.46	ļ .	41,353.04	21.38	<u> </u>	
Shakespeare PS	35,004.84	12.18	36,011.33	12.65		35,676.34	13.97	<u>_</u>	25,122.12	13.05	<u> </u>	20,395.86	11.09	<u> </u>	
South Huron DHS & DES	410,072.09	20.25	471,084.09	23.42	<u> </u>	466,192.10	23.22	<u>+</u>	460,560.64	24.04	<u> </u>	353,542.03	19.62	<u> </u>	
South Perth Centennial PS	81,854.88	21.11	79,034.08	18.98	<u> </u>	96,568.54	23.51	<u>T</u>	96,573.17	24.52	<u> </u>	63,741.28	17.32	<u> </u>	
Sprucedale PS	56,040.24	18.02	63,320.83	20.43		66,629.33	21.79	1	63,686.30	21.42	<u> </u>	49,061.20	17.52	1	
St Marys DC & VI & Elementary	338,889.21	21.45	336,571.45	21.24		350,654.13	22.67	Ţ	339,364.55	23.62	Ţ	288,874.87	20.49	<u> </u>	
Stephen Central PS Stratford Central	72,521.79 318.080.96	20.36 15.66	79,167.74 339.173.01	22.17 16.53		83,575.09 395,771.82	23.76 19.45	Ţ	83,339.58 315,364,29	24.85 17.26	T	73,656.30 272.520.97	22.58 15.48	<u> </u>	
			339,173.01 648.217.61						,	23.06	+	, , , , , ,		—	
Stratford Northwestern Upper Thames E S	557,853.55 191.616.75	21.52 20.40	648,217.61 223.966.84	24.62 24.00	T	667,192.56 206.974.70	23.48 22.16		611,261.73 192.346.64	23.06		514,026.25 162.404.54	18.57 20.76	<u> </u>	
Wallace PS - SOLD JUL 2016	71.512.80	17.73	223,966.84 89.653.04	24.00		98.522.82	25.46	→	90.300.81	23.35		77.781.79	20.76	—	
Wallace FO - SOLD JUL 2010	11,512.60	17.73	09,003.04	22.53		90,022.02	∠5.40		90,300.61	23.00	.	11,101.19	20.41	↓	

Appendix B2 - Energy Intensity Ranking by Reporting Period

2011-12 Period Reported in 2013			2012-13 Period Reported in 2014			2013-14 Period Re	eported in 201	5	2014-15 Period R	Reported in 201	6	2015-16 Period Reported in 2017			
Site	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Site	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Site	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Site	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Site	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	
amlet PS	42,395.26	10.0	Shakespeare PS	36,011.33	12.65	Hamlet PS	58,035.00	13.36	Hamlet PS	50,262.40	12.68	Shakespeare PS	20,395.86	11.	
nakespeare PS	35,004.84	12.1	Hamlet PS	52,771.90	12.85	Shakespeare PS	35,676.34	13.97	Shakespeare PS	25,122.12	13.05	Hamlet PS	43,194.73	11.	
ma Township	73.914.10	13.9	Bedford PS	79.067.31		Anne Hathaway Public School	90,456.95	15.48	Anne Hathaway Public School	73.868.61	15.25	Anne Hathaway Public School	57,254.11	13 14	
edford PS	70,608.50		Stratford Central	339,173.01	16.53	Bedford PS	86,120.42		North Woods ES	13,974.13		North Woods ES	12,520.18	14	
orth Woods ES	30,684.97	14.3	Elma Township	91,794.52	17.16	North Woods ES	29,399.07	17.67	Stratford Central	315,364.29	17.26	Brookside PS	71,320.64	14	
ratford Central	318,080.96	15.6	Anne Hathaway Public School	117,489.99	17.64	Stratford Central	395,771.82	19.45	Bedford PS	93,241.88	18.18	Stratford Central	272,520.97	15. 16.	
entral Perth E S	46,697.28		Bluewater Coast ES	69,238.56	17.96	Exeter PS	118,735.89	19.68	Goderich District CI & Goderich District CI ES	295,702.28		Exeter PS	87,057.37	16	
on PS	68,787.63	15.9	Listowel Central PS	100,822.32	18.23	Elma Township	106,589.99	19.81	Exeter PS	105,573.20	19.14	Bluewater Coast ES	59,861.42		
uewater Coast ES	62,085.12		North Easthope PS	78,486.72		Central Perth E S	45,581.28	19.99	Romeo PS	52,763.39		Goderich District CI & Goderich District CI Eleme		16	
nne Hathaway Public School	107,215.37		1 Avon PS	83,630.52		Bluewater Coast FS	76,635.06	20.10		70,309.02		Howick Central S	92,663.96		
eter PS	102,852.05	16.9	North Woods ES	39,417.54	18.76	Listowel Eastdale PS	78,935.25	20.65	Central Perth E S	23,812.08		Bedford PS	84,678.26	17.	
stowel Central PS	92,447.61	17.6	South Perth Centennial PS	79,034.08	18.98	Mitchell DHS	295,720.28	21.01	Elma Township	100,019.99	20.25	South Perth Centennial PS	63,741.28		
allace PS	71,512.80		Exeter PS	118,679.77		Listowel Central PS	109,835.69	21.06		91,070.68	20.38	Central Perth E S	21,198.63	17	
ttle Falls PS	103,712.64	17.9	Little Falls PS	117,295,22		Romeo PS	65,397,24		Avon PS	76,818,94	20.7	Sprucedale PS	49.061.20	17. 17.	
prucedale PS	56,040.24		Central Perth E S	56.824.92		Huron Centennial S	123,480.19	21.74		118.808.53		Avon PS	63,413,69	17.	
ullett Central PS	62,310,10		Sprucedale PS	63,320,83		Seaforth PS & Administration & Maintenance	239.099.18	21.75	F E Madill SS & ES	595,829,21	21.35	Listowel Central PS - SOLD SEPT 2016	80,096.02	17.	
owick Central S	110.234.19		Brookside PS	113,073,26		Sprucedale PS	66,629,33	21.79		63,686,30		Elma Township	84.666.59	17.	
inton PS	103.013.77	18.3	Goderich District CI & Goderich District CI ES	368,624,59		Goderich District CI & Goderich District CI ES	382,545,01		Seaforth PS & Administration & Maintenance	217,220,29		Romeo PS	45,938,08		
oderich District CI & Goderich District CI ES	328,708,52		Seaforth PS & Administration & Maintenance	240,110,80		Upper Thames E S	206.974.70		Brookside PS	116,707,13		Stratford Northwestern	514.026.25		
eaforth PS & Administration & Maintenance	203,512.35		St Marys DC & VI & Elementary	336,571,45		Howick Central S	137.095.85		Huron Centennial S	118,262.08		Huron Centennial S	96,529.43		
orth Easthope PS	78.037.33		F F Madill SS & FS	623.617.80		F E Madill SS & ES	661.077.51		Little Falls PS	115,388,96		Little Falls PS	96.943.00		
E Madill SS & ES	576.030.77		Listowel Eastdale PS	77.678.34		St Marys DC & VI & Elementary	350.654.13	22.67		286.371.80		F E Madill SS & ES	517.045.60	19.	
oderich Public School	136,786,91		Goderich Public School	151,068,16		Maitland River ES	145,337,86		North Easthope PS	81,125,90		South Huron DHS & DES	353,542.03		
omeo PS	62,093.76		Romeo PS	67,367,06		South Huron DHS & DES	466,192.10	23.22		611,261.73		North Easthope PS	70,122.48		
stowel DSS	485.080.40		Mitchell DHS	312.351.25		North Easthope PS	88,296.58	23.29	Upper Thames E S	192,346,64	23.35	Seaforth PS & Administration & Maintenance	186.251.97		
outh Huron DHS & DES	410,072.09		Hullett Central PS	75,611,18		Clinton PS	148.653.21		Milverton PS	140.682.42		Central Huron SS & Clinton Administration	427,262,71		
ephen Central PS	72.521.79		Howick Central S	124,196,19		Stratford Northwestern	667.192.56	23.48		49,222,80		Hullett Central PS	68.883.35		
oper Thames E S	191,616.75		Stephen Central PS	79.167.74		South Perth Centennial PS	96,568.54	23.51		339.364.55		2 Downie Central PS	58,296.33	20	
ookside PS	111.628.50		Wallace PS	89.653.04		Stephen Central PS	83.575.09		Goderich Public School	166,796,36	23.64	Mitchell DHS	251,753,18	20.	
ornington Central PS	51.020.25		Central Huron SS & Clinton Administration	575.008.05		Brookside PS	131.090.98		Wallace PS	90.300.81		Wallace PS - SOLD JUL 2016	77.781.79	20.	
outh Perth Centennial PS	81,854,88		Clinton PS	152,241.97		Central Huron SS & Clinton Administration	585,956.97	24.13		81,342.07		St Marys DC & VI & Elementary	288.874.87	20	
Marys DC & VI & Elementary	338,889.21		South Huron DHS & DES	471.084.09	23.42	Hullett Central PS	86,948.40	24.19		549,778,96	23.94	Upper Thames E S	162,404,54		
ratford Northwestern	557.853.55		Huron Centennial S	134.058.40		Avon PS	105,515.74		Downie Central PS	69.084.78	23.0	Goderich Public School	141.304.99	21.	
uron Centennial S	127,734.51		Upper Thames E S	223,966.84		Little Falls PS	146,932.07	24.94		460,560.64		Clinton PS	114,840.59	21	
ilverton PS	136,762.28	21.9	SERC Library & Day Care	63,309.06	24.00	Milverton PS	157,862.58	25.04		96,573.17		2 SERC Library & Day Care	41.353.04	21 21 21 22	
entral Huron SS & Clinton Administration	538,787.80		Stratford Northwestern	648,217.61		Wallace PS	98,522.82	25.46		83,339.58	24.52	Maitland River ES	128,447.84	21	
itchell DHS	310,781.22		Downie Central PS	81,336.27		Goderich Public School	177,045.28		Maitland River ES	156,151.92		B Listowel DSS	493,349.49	27	
ownie Central PS	76.572.66		Mornington Central PS	62,876.32	25.32		67,901.22	26.62		149,113.07		Listowel Eastdale PS	78,641.92	22	
stowel Eastdale PS	83,851.03	23.0	Milverton PS	161.692.08	25.32	Downie Central PS	87,737.38	27.31	Listowel DSS	585,468,69		Stephen Central PS	73,656,30	22	
ERC Library & Day Care	62,134.03		Listowel DSS	700,478.32		Listowel DSS	637,410.60		Listowel Eastdale PS	94.109.95		Milverton PS	136.138.73	22	
aitland River ES	62,134.03 n/a		Maitland River ES	700,476.32 n/a		Mornington Central PS	75.630.83		Mornington Central PS	76.278.26		Mornington Central PS	82.346.24		

Appendix B3 - GHG Emissions Ranking by Reporting Period

2011-12 Period Reported in 2013			2012-13 Period Re	eported in 201	4	2013-14 Period Reported in 2015			2014-15 Period F	Reported in 201	6	2015-16 Period Reported in 2017		
Site	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Site	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)									
lorth Woods ES	30,684.97	14.30	Shakespeare PS	36,011.33	12.65	North Woods ES	29,399.07	17.67	North Woods ES	13,974.13	15.96	North Woods ES	12,520.18	14.
hakespeare PS	35,004.84	12.18	North Woods ES	39,417.54	18.76	Shakespeare PS	35,676.34	13.97	Central Perth E S	23,812.08		Shakespeare PS	20,395.86	11.
lamlet PS	42,395.26		Hamlet PS	52,771.90	12.85	Central Perth E S	45,581.28		Shakespeare PS	25,122.12	13.05	Central Perth E S	21,198.63	17.
Central Perth E S	46,697.28		Central Perth E S	56,824.92		Hamlet PS	58,035.00		SERC Library & Day Care	49,222.80		SERC Library & Day Care	41,353.04	
fornington Central PS	51,020.25	20.9	Mornington Central PS	62,876.32		Romeo PS	65,397.24		Hamlet PS	50,262.40		Hamlet PS	43,194.73	11.
prucedale PS	56,040.24	18.02	SERC Library & Day Care	63,309.06	24.08	Sprucedale PS	66,629.33	21.79	Romeo PS	52,763.39	19.26	Romeo PS	45,938.08	18.
lluewater Coast ES	62,085.12	16.33	Sprucedale PS	63,320.83	20.43	SERC Library & Day Care	67,901.22	26.62	Sprucedale PS	63,686.30	21.42	Sprucedale PS	49,061.20	
tomeo PS	62,093.76	20.02	Romeo PS	67,367.06	21.38	Mornington Central PS	75,630.83	30.41	Downie Central PS	69,084.78		Anne Hathaway Public School	57,254.11	13.
ERC Library & Day Care	62,134.03	23.96	Bluewater Coast ES	69,238.56	17.96	Bluewater Coast ES	76,635.06	20.10	Bluewater Coast ES	70,309.02	19.43	Downie Central PS	58,296.33	20.
Juliett Central PS	62,310.10	18.18	Hullett Central PS	75.611.18	21.75	Listowel Eastdale PS	78,935.25	20.65	Anne Hathaway Public School	73,868,61	15.25	Bluewater Coast ES	59.861.42	16.
von PS	68,787.63	15.90	Listowel Eastdale PS	77,678.34	21.35	Stephen Central PS	83,575.09	23.76	Mornington Central PS	76,278.26	26.55	Avon PS	63,413.69	17.
ledford PS	70,608.50	14.23	North Easthope PS	78,486.72	18.67	Bedford PS	86,120.42	17.65	Avon PS	76,818.94	20.71	South Perth Centennial PS	63,741.28	17.
Vallace PS	71,512.80	17.73	South Perth Centennial PS	79,034.08	18.98	Hullett Central PS	86,948.40	24.19	North Easthope PS	81,125.90	22.69	Hullett Central PS	68,883.35	20.
tephen Central PS	72,521.79	20.36	Bedford PS	79,067.31		Downie Central PS	87,737.38	27.31	Hullett Central PS	81,342.07	23.74	North Easthope PS	70,122.48	20. 19.
Ima Township	73,914.10	13.99	Stephen Central PS	79,167.74	22.17	North Easthope PS	88,296.58	23.29	Stephen Central PS	83,339.58	24.85	Brookside PS	71,320.64	14.
lownie Central PS	76,572.66	23.08	Downie Central PS	81,336.27	24.70	Anne Hathaway Public School	90,456.95	15.48	Wallace PS	90,300.81	23.66	Stephen Central PS	73,656.30	22.
lorth Easthope PS	78,037.33	19.3°	Avon PS	83,630.52	18.72	South Perth Centennial PS	96,568.54	23.51	Listowel Central PS	91,070.68	20.38	Wallace PS - SOLD JUL 2016	77,781.79	20.
outh Perth Centennial PS	81,854.88	21.1	Wallace PS	89,653.04		Wallace PS	98,522.82		Bedford PS	93,241.88	18.18	Listowel Eastdale PS	78,641.92	22.
istowel Eastdale PS	83,851.03	23.36	Elma Township	91,794.52	17.16	Avon PS	105,515.74	24.25	Listowel Eastdale PS	94,109.95	25.94	Listowel Central PS - SOLD SEPT 2016	80,096.02	17.
istowel Central PS	92,447.61	17.69	Listowel Central PS	100,822.32	18.23	Elma Township	106,589.99	19.81	South Perth Centennial PS	96,573.17	24.52	Mornington Central PS	82,346.24	27. 17.
xeter PS	102,852.05	16.96	Brookside PS	113,073.26	20.59	Listowel Central PS	109,835.69	21.06	Elma Township	100,019.99	20.25	Elma Township	84,666.59	17.
linton PS	103,013.77	18.30	Little Falls PS	117,295.22	19.69	Exeter PS	118,735.89	19.68	Exeter PS	105,573.20	19.14	Bedford PS	84,678.26	
ittle Falls PS	103,712.64	17.96	Anne Hathaway Public School	117,489.99	17.64	Huron Centennial S	123,480.19	21.74	Little Falls PS	115,388.96	22.49	Exeter PS	87,057.37	16.
nne Hathaway Public School	107,215.37	16.7	Exeter PS	118,679.77	19.21	Brookside PS	131,090.98	23.90	Brookside PS	116,707.13	22.24	Howick Central S	92,663.96	17.
lowick Central S	110,234.19	18.2	Howick Central S	124,196.19	22.11	Howick Central S	137,095.85	22.40	Huron Centennial S	118,262.08	22.32	Huron Centennial S	96,529.43	19.
rookside PS	111,628.50		Huron Centennial S	134,058.40	23.68	Maitland River ES	145,337.86	22.79	Howick Central S	118,808.53	20.84	Little Falls PS	96,943.00	19.
luron Centennial S	127,734,51	21.96	Goderich Public School	151.068.16	21.37	Little Falls PS	146.932.07	24.94	Milverton PS	140.682.42	23,44	Clinton PS	114.840.59	21.
filverton PS	136,762.28		Clinton PS	152,241.97	23.23	Clinton PS	148,653.21	23.33		149.113.07	25.31	Maitland River ES	128,447.84	21.
Soderich Public School	136,786.91	19.59	Milverton PS	161,692.08	25.33	Milverton PS	157,862.58		Maitland River ES	156,151.92		Milverton PS	136,138.73	21. 21. 22.
Ipper Thames E S	191,616.75	20.40	Upper Thames E S	223,966.84	24.00	Goderich Public School	177,045.28	25.47	Goderich Public School	166,796,36	23.64	Goderich Public School	141.304.99	21.
eaforth PS & Administration & Maintenance	203,512.35	18.50	Seaforth PS & Administration & Maintenance	240,110.80		Upper Thames E S	206,974.70	22.16	Upper Thames E S	192,346.64		Upper Thames E S	162,404.54	
Mitchell DHS	310,781,22		Mitchell DHS	312.351.25	21.66	Seaforth PS & Administration & Maintenance	239,099,18	21.75	Seaforth PS & Administration & Maintenance	217,220,29	21.57	Seaforth PS & Administration & Maintenance	186,251,97	19.
tratford Central	318,080,96	15.66	St Marys DC & VI & Elementary	336,571,45	21.24	Mitchell DHS	295,720.28	21.01	Mitchell DHS	286.371.80	22.53	Mitchell DHS	251,753,18	20.
Soderich District CI & Goderich District CI ES	328,708.52		Stratford Central	339,173,01	16.53	St Marys DC & VI & Elementary	350,654.13	22.67	Goderich District CI & Goderich District CI ES	295,702,28	19.02	Goderich District CI & Goderich District CI Eleme	253,678.92	16.
it Marys DC & VI & Elementary	338.889.21		Goderich District CI & Goderich District CI ES	368,624,59		Goderich District CI & Goderich District CI ES	382,545.01	22.08	Stratford Central	315,364.29	17.26	Stratford Central	272,520.97	16. 15. 20.
outh Huron DHS & DES	410.072.09	20.25	South Huron DHS & DES	471.084.09	23.42	Stratford Central	395,771.82	19.45	St Marys DC & VI & Elementary	339.364.55	23.62	St Marys DC & VI & Elementary	288.874.87	20.
istowel DSS	485,080,40		Central Huron SS & Clinton Administration	575.008.05	23.23	South Huron DHS & DES	466,192,10	23.22		460,560,64		South Huron DHS & DES	353.542.03	19.
Central Huron SS & Clinton Administration	538.787.80		F E Madill SS & ES	623,617,80		Central Huron SS & Clinton Administration	585.956.97		Central Huron SS & Clinton Administration	549.778.96		Central Huron SS & Clinton Administration	427,262,71	19.
tratford Northwestern	557,853.55		Stratford Northwestern	648,217,61		Listowel DSS	637,410,60		Listowel DSS	585,468,69		Listowel DSS	493,349,49	
E Madill SS & ES	576.030.77		Listowel DSS	700.478.32		F E Madill SS & ES	661.077.51	22.53	F E Madill SS & ES	595.829.21		Stratford Northwestern	514,026.25	
Maitland River ES	n/a		Maitland River FS	n/a		Stratford Northwestern	667.192.56	23.48		611.261.73		F E Madill SS & ES	517.045.60	